Printing date: 02.11.2012 Revision: 02.11.2012

1 Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Epo-Seal CC Part B
- · 1.2 Application of the substance / the preparation: Epoxy curing agent
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

InterAmerican Resins Corp.

PO Box 4156.

Vega Baja, PR 00693

Tel (706) 279-4114

- · Further information obtainable from: Product Safety Department
- · 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1B; H314: Causes severe skin burns and eye damage.



GHS07

Acute Tox. 4; H302; Harmful if swallowed.

Skin Sens. 1; H317: May cause an allergic skin reaction.

STOT SE 3; H335: May cause respiratory irritation.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

C; Corrosive

R34: Causes burns.



Xn; Harmful

R20/22: Harmful by inhalation and if swallowed.



Xi; Irritant

R37: Irritating to respiratory system.



Xi; Sensitising

R43: May cause sensitisation by skin contact.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

(Contd. on page 2)

Printing date: 02.11.2012 Revision: 02.11.2012

Trade name: Epo-Seal CC Part B

(Contd. of page 1)

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS05 GHS07

· Signal word Danger

· Hazard-determining components of labelling:

Benzyl alcohol

3-aminomethyl-3,5,5-trimethylcyclohexylamine

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine

· Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

Contains 3-aminomethyl-3,5,5-trimethylcyclohexylamine. May produce an allergic reaction.

Precautionary statements

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P264: Wash thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P272: Contaminated work clothing should not be allowed out of the workplace.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

P321: Specific treatment (see on this label).

P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P363: Wash contaminated clothing before reuse.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

(Contd. on page 3)

Printing date: 02.11.2012 Revision: 02.11.2012

Trade name: Epo-Seal CC Part B

(Contd. of page 2)

P330: Rinse mouth.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P405: Store locked up.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

- Hazard description:
- · WHMIS-symbols:
- D1B Toxic material causing immediate and serious toxic effects
- D2B Toxic material causing other toxic effects
- E Corrosive material







· NFPA ratings (scale 0 - 4)



Health = 3Fire = 1

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



3 Health = 3

· HMIS Long Term Health Hazard Substances

None of the ingredients is listed.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

CAS: 100-51-6 EINECS: 202-859-9 Benzyl alcohol

30-60%

Xn R20/22

(Contd. on page 4)

Printing date: 02.11.2012 Revision: 02.11.2012

Trade name: Epo-Seal CC Part B

г			
		(Conto	d. of page 3)
	CAS: 38294-64-3 NLP: 500-101-4	4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine Xn R22; Xi R36/37/38	15-40%
		Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
	CAS: 2855-13-2 EINECS: 220-666-8 Index number: 612-067-00-9	Isophorone Diamine C R34; Xn R21/22; Xi R43 R52/53	10-30%
		Skin Corr. 1B, H314 Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317 Aquatic Chronic 3, H412	
	CAS: 69-72-7 EINECS: 200-712-3	Salicylic acid ■ Xn R22; ■ Xi R37/38-41	≤ 1%
		© Eye Dam. 1, H318 ① Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335	
1	A 1 11/1 11 6 /1 =		,

· Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

· 4.1 Description of first aid measures

· General information:

Take affected persons out into the fresh air.

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediately remove any clothing soiled by the product.

Do not pull solidified product off the skin.

If skin irritation continues, consult a doctor.

· After eye contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Do not induce vomiting; call for medical help immediately.

Rinse out mouth and then drink plenty of water.

· 4.2 Most important symptoms and effects, both acute and delayed

Coughing

Dizziness

Breathing difficulty

Headache

(Contd. on page 5)

Printing date: 02.11.2012 Revision: 02.11.2012

Trade name: Epo-Seal CC Part B

(Contd. of page 4)

Gastric or intestinal disorders

Allergic reactions

· Hazards

Condition may deteriorate with alcohol consumption.

Danger of impaired breathing.

Danger of pulmonary oedema.

4.3 Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation with added, activated carbon.

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

Later observation for pneumonia and pulmonary oedema.

Monitor circulation, possible shock treatment.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

5 Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Nitrogen oxides (NOx)

Carbon monoxide (CO)

Under certain fire conditions, traces of other toxic gases cannot be excluded.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Clean the affected area carefully; suitable cleaners are:

Warm water and cleansing agent

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 6)

Printing date: 02.11.2012 Revision: 02.11.2012

Trade name: Epo-Seal CC Part B

(Contd. of page 5)

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Keep receptacles tightly sealed.

Take note of emission threshold.

- · Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Provide ventilation for receptacles.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well ventilated area.

· 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

100-51-6 Benzyl alcohol

WEEL (USA) 10 ppm

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

· Respiratory protection:

Use suitable respiratory protective device when aerosol or mist is formed.

Use suitable respiratory protective device when high concentrations are present.

(Contd. on page 7)

(Contd. of page 6)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: 02.11.2012 Revision: 02.11.2012

Trade name: Epo-Seal CC Part B

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Canaral Information

Contact lenses should not be worn.



Safety glasses

Goggles recommended during refilling

· Body protection: Protective work clothing

9 Physical and chemical properties

Appearance:	
Form:	Liquid
Colour:	Light yellow
· Odour:	Ammonia-like
· Odour threshold:	Not determined.
· pH-value:	Not determined.
Change in condition	I I a data a selection
Melting point/Melting range:	Undetermined.

· 9.1 Information on basic physical and chemical properties

Boiling point/Boiling range: > 205°C (> 401 °F)

• Flash point: 96°C (203 °F)

Flammability (solid, gaseous):

Not applicable.

Ignition temperature:

435°C (815°F)

(Contd. on page 8)

Printing date: 02.11.2012 Revision: 02.11.2012

Trade name: Epo-Seal CC Part B

		(Contd. of page
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	1,3 Vol %	
Upper:	13,0 Vol %	
· Vapour pressure at 20°C:	0,1 hPa	
· Density at 20°C:	1 g/cm ³	
· Relative density	Not determined.	
Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Partition coefficient (n-octanol/wa	iter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· 9.2 Other information	No further relevant information available.	

10 Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Reacts with strong acids and oxidizing agents.

Reacts with peroxides and other radical forming substances.

Reacts with strong alkali.

· 10.4 Conditions to avoid

Keep ignition sources away - Do not smoke.

Store away from oxidizing agents.

- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Ammonia

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

(Contd. on page 9)

Printing date: 02.11.2012 Revision: 02.11.2012

Trade name: Epo-Seal CC Part B

(Contd. of page 8)

11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values relevant for classification:

100-51-6 Benzyl alcohol

Oral LD50 1230 mg/kg (rat)

Dermal LD50 2000 mg/kg (rabbit)

2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine

Oral LD50 1030 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization:

Sensitizing effect through inhalation is possible by prolonged exposure.

Sensitization possible through skin contact.

· Additional toxicological information:

Inhalation of concentrated vapours as well as oral intake will lead to anaesthesia-like conditions and headache, dizziness, etc.

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

In addition to local irritant manifestations, there is a narcotic effect when inhaling high concentrations, with the danger of central respiratory arrest.

12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: The material is harmful to the environment.
- 12.2 Persistence and degradability The product is partly biodegradable. Significant residuals remain.
- · 12.3 Bioaccumulative potential

Due to the distribution coefficient n-octanol/water an accumulation in organisms is possible.

- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralized.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 10)

Printing date: 02.11.2012 Revision: 02.11.2012

Trade name: Epo-Seal CC Part B

· vPvB: Not applicable.

(Contd. of page 9)

• 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

Transport information		
· 14.1 UN-Number · DOT, ADR, IMDG, IATA	UN1760	
· 14.2 UN proper shipping name · DOT, IMDG, IATA · ADR	Corrosive Liquid, N.O.S. 1760 Corrosive Liquid, N.O.S.	
· 14.3 Transport hazard class(es)		
O'RCSIVE		
· Class	8 Corrosive substances.	
· Label	8	
· ADR		
· Class	8 (C9) Corrosive substances.	
· Label	8 '	
		(Contd. on pag

Revision: 02.11.2012

Safety Data Sheet according to 1907/2006/EC (REACH),

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Trade name: Epo-Seal CC Part B

Printing date: 02.11.2012

		(Contd. of page 10)
· IMDG, IATA		
(SE 38)		
· Class	8 Corrosive substances.	
· Label	8	
· 14.4 Packing group · DOT, ADR, IMDG, IATA	III	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Warning: Corrosive substances.	
· Danger code (Kemler):	80	
· EMS Number:	F-A,S-B	
· Segregation groups	Alkalis	
· 14.7 Transport in bulk according to Annex II		
MARPOL73/78 and the IBC Code	Not applicable.	
· Transport/Additional information:		
· ADR		
· Tunnel restriction code	E	
· UN "Model Regulation":	UN1760, Corrosive Liquid, N.O.S., 8, I	II

15 Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- ·SARA

 Section 355 	(extremely	y hazardous su	bstances):
---------------------------------	------------	----------------	------------

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65 (California):
- · Chemicals known to cause cancer:

106-89-8 1-chloro-2,3-epoxypropane

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

(Contd. on page 12)

Printing date: 02.11.2012 Revision: 02.11.2012

Trade name: Epo-Seal CC Part B

	(Contd. of page
· Chemicals known to cause reproductive toxicity for males:	(Conta. or page
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
106-89-8 1-chloro-2,3-epoxypropane	
Carcinogenic Categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
· Canada	
· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
Canadian Ingredient Disclosure list (limit 0.1%)	
69-72-7 Salicylic acid	
106-89-8 1-chloro-2,3-epoxypropane	
· Canadian Ingredient Disclosure list (limit 1%)	
100-51-6 Benzyl alcohol	
2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

· Relevant phrases

H302: Harmful if swallowed.

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H335: May cause respiratory irritation.

H412: Harmful to aquatic life with long lasting effects.

R20/22: Harmful by inhalation and if swallowed.

R21/22: Harmful in contact with skin and if swallowed.

(Contd. on page 13)

(Contd. of page 12)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: 02.11.2012 Revision: 02.11.2012

Trade name: Epo-Seal CC Part B

R22: Harmful if swallowed.

R34: Causes burns.

R36/37/38: Irritating to eyes, respiratory system and skin.

R37/38: Irritating to respiratory system and skin.

R41: Risk of serious damage to eyes.

R43: May cause sensitisation by skin contact.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent