٦

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 01.11.2012

Г

Revision: 31.10.2012

1 Identification of the substance/mixture and of the company/undertaking
. 1.1 Product identifier
 Trade name: <u>Poly-Krete PT Part A</u> 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 Application of the substance / the preparation Epoxy resin
 1.3 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: InterAmerican Resins Corp. PO Box 4156, Vega Baja, PR 00693 Tel (706) 279-4114 Further information obtainable from: Product Safety Department
• 1.4 Emergency telephone number:
ChemTel Inc. (800)255-3924, +1 (813)248-0585
2 Hazards identification
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS08 health hazard Muta. 2; H341: Suspected of causing genetic defects. GHS09 environment Aquatic Chronic 2; H411: Toxic to aquatic life with long lasting effects. GHS07 Skin Irrit. 2; H315: Causes skin irritation. Eye Irrit. 2; H319: Causes serious eye irritation. Skin Sens. 1; H317: May cause an allergic skin reaction.
 Classification according to Directive 67/548/EEC or Directive 1999/45/EC T; Toxic R46: May cause heritable genetic damage. Xi; Irritant R36/38: Irritating to eyes and skin. Xi; Sensitising
R43: May cause sensitisation by skin contact. (Contd. on page 2)

GHS

Printing date 01.11.2012

Trade name: Poly-Krete PT Part A

(Contd. of page 1) · Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. · Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company. . 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 GHS08 GHS09 . Signal word Warning . Hazard-determining components of labelling: Reaction products of Epichlorohydrin and Bisphenol A oxirane, mono[(C12-14-alkyloxy)methyl] derivs Hazard statements H315 Causes skin irritation. H319 Causes serious eve irritation. H317 May cause an allergic skin reaction. H341 Suspected of causing genetic defects. H411 Toxic to aquatic life with long lasting effects. Precautionary statements P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P280: Wear protective gloves/protective clothing/eye protection/face protection. P281: Use personal protective equipment as required. P273: Avoid release to the environment. P264: Wash thoroughly after handling. P272: Contaminated work clothing should not be allowed out of the workplace. P201: Obtain special instructions before use. P202: Do not handle until all safety precautions have been read and understood. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321: Specific treatment (see on this label). P362: Take off contaminated clothing and wash before reuse. P363: Wash contaminated clothing before reuse. P308+P313: IF exposed or concerned: Get medical advice/attention. P332+P313: If skin irritation occurs: Get medical advice/attention. P333+P313: If skin irritation or rash occurs: Get medical advice/attention. P337+P313: If eye irritation persists: Get medical advice/attention. P302+P352; IF ON SKIN: Wash with plenty of soap and water. P391: Collect spillage. (Contd. on page 3)

Revision: 31.10.2012

Printing date 01.11.2012

Revision: 31.10.2012

Trade name: Poly-Krete PT Part A

(Contd. of page 2) P405: Store locked up. P501: Dispose of contents/container in accordance with local/regional/national/international regulations. · Hazard description: · WHMIS-symbols: D2A - Very toxic material causing other toxic effects · NFPA ratings (scale 0 - 4) Health = 2Fire = 1Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH Health = *2 FIRE 1 Fire = 1 Reactivity = 0 * - Indicates a long term health hazard from repeated or prolonged exposures. · HMIS Long Term Health Hazard Substances 25085-99-8 Reaction products of Epichlorohydrin and Bisphenol A . 2.3 Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. . vPvB: Not applicable. **3** Composition/information on ingredients

. 3.2 Mixtures

. Description: Mixture of substances listed below with nonhazardous additions.

CAS: 25085-99-8	Reaction products of Epichlorohydrin and Bisphenol A T Muta. Cat. 3 R46; 🔀 Xi R38; 🔀 Xi R43; 🌄 N R51	> 50%
	Muta. 2, H341 Aquatic Chronic 2, H411 Skin Irrit. 2, H315; Skin Sens. 1A, H317	
CAS: 68609-97-2 EINECS: 271-846-8	oxirane, mono[(C12-14-alkyloxy)methyl] derivs	10-25%
	Skin Irrit. 2, H315; Skin Sens. 1, H317 the wording of the listed risk phrases refer to section 16.	

Printing date 01.11.2012

Revision: 31.10.2012

Trade name: Poly-Krete PT Part A

(Contd. of page 3)

4 First aid measures

· 4.1 Description of first aid measures

. General information: Immediately remove any clothing soiled by the product.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly. Immediately remove any clothing soiled by the product. If skin irritation continues, consult a doctor.

· After eye contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor. Do not remove contact lenses if worn.

• After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions Nausea

Dizziness

- · Hazards Danger of impaired breathing.
- 4.3 Indication of any immediate medical attention and special treatment needed

Treat skin and mucous membrane with antihistamine and corticoid preparations. Monitor circulation.

5 Firefighting measures

- . 5.1 Extinguishing media
- . Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

- Wear fully protective suit.
- . Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

\cdot 6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol. Remove persons from danger area.

(Contd. on page 5)

Printing date 01.11.2012

Revision: 31.10.2012

Trade name: Poly-Krete PT Part A

(Contd. of page 4)

Ensure adequate ventilation Wear protective equipment. Keep unprotected persons away.

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

. 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

Clean the affected area carefully; suitable cleaners are:

Warm water and cleansing agent

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

. Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- . Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility:

Store away from oxidizing agents.

Store away from foodstuffs.

Do not store together with acids.

- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- . 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **DNELs** No further relevant information available.
- · PNECs No further relevant information available.

106-89-8 1-chloro-2,3-epoxypropane (Trace%)

PEL (USA) 19 mg/m³, 5 ppm

Skin

REL (USA) See Pocket Guide App. A

(Contd. on page 6)

Printing date 01.11.2012

Revision: 31.10.2012

Trade name: Poly-Krete PT Part A

	(Contd. of page 5)
TLV (USA)	1,9 mg/m³, 0,5 ppm Skin
EL (Canada)	0,1 ppm Skin; IARC 2A, R
EV (Canada)	
· Additional in	formation: The lists valid during the making were used as basis.
· 8.2 Exposure	
	otective equipment:
-	ective and hygienic measures:
	om foodstuffs, beverages and feed. emove all soiled and contaminated clothing
	before breaks and at the end of work.
	with the eyes and skin.
 Respiratory 	
	respiratory protective device in case of insufficient ventilation.
· Protection o	respiratory protective device when aerosol or mist is formed.
Prote	ective gloves
Due to miss preparation/ t	Iterial has to be impermeable and resistant to the product/ the substance/ the preparation. ing tests no recommendation to the glove material can be given for the product/ the he chemical mixture. the glove material on consideration of the penetration times, rates of diffusion and the
· Material of g	loves
Butyl rubber,	
quality and v substances, t checked prior	n of the suitable gloves does not only depend on the material, but also on further marks of varies from manufacturer to manufacturer. As the product is a preparation of several the resistance of the glove material cannot be calculated in advance and has therefore to be to the application. time of glove material
	eak through time has to be found out by the manufacturer of the protective gloves and has to
· Eye protecti	on:
Contact lense	es should not be worn.
Safe	ety glasses
Gogales reco	mmended during refilling
 Body protec 	tion: Protective work clothing
 Limitation ar 	nd supervision of exposure into the environment
No further rel	evant information available.

(Contd. on page 7)

Printing date 01.11.2012

Revision: 31.10.2012

(Contd. of page 6)

Trade name: Poly-Krete PT Part A

· Risk management measures

See Section 7 for additional information. No further relevant information available.

9 Physical and chemical prope	erties	
 9.1 Information on basic physical a General Information Appearance: 	and chemical properties	
 Appearance. Form: Colour: Odour: Odour threshold: 	Liquid Light brown Light Not determined.	
. pH-value at 20 °C:	7,2	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. 98 °C (208 °F)	
· Flash point:	> 100 °C (> 212 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
 Explosion limits: Lower: Upper: 	Not determined. Not determined.	
· Vapour pressure:	Not determined.	
 Density at 20 °C: Relative density Vapour density Evaporation rate 	1,00 g/cm ³ Not determined. Not determined. Not determined.	
 Solubility in / Miscibility with water: 	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.	
		(Contd. on page

Printing date 01.11.2012

Revision: 31.10.2012

(Contd. of page 7)

Trade name: Poly-Krete PT Part A

• 9.2 Other information

No further relevant information available.

10 Stability and reactivity

- . 10.1 Reactivity
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions
- Reacts with catalysts, oxidizing agents and strong alkali.

Reacts with amines.

Exothermic polymerization.

- · 10.4 Conditions to avoid No further relevant information available.
- . 10.5 Incompatible materials: No further relevant information available.
- . 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- . 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- . on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization:

Sensitization possible through skin contact.

- Sensitizing effect through inhalation is possible by prolonged exposure.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

- · Sensitisation Sensitization possible by skin contact.
- . Repeated dose toxicity Repeated exposures may result in skin and/or respiratory sensitivity.

12 Ecological information

- . 12.1 Toxicity
- . Aquatic toxicity: The product contains materials that are harmful to the environment.
- 12.2 Persistence and degradability The product is not easily, but potentially degradable.
- · 12.3 Bioaccumulative potential
- Due to the distribution coefficient n-octanol/water an accumulation in organisms is not expected.
- . 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

(Contd. on page 9)

Printing date 01.11.2012

Trade name: Poly-Krete PT Part A

(Contd. of page 8)

Revision: 31.10.2012

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

12.5 Results of PBT and vPvB assessment

. PBT: Not applicable.

· vPvB: Not applicable.

. 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

· Uncleaned packaging:

. Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number	
· DOT, ADR, IMDG, IATA	UN3082
· 14.2 UN proper shipping name	
· DOT, IATA	Environmentally Hazardous Substance, Liquid, N.O.S.
· ADR	3082 Environmentally Hazardous Substance, Liqui N.O.S.
· IMDG	Environmentally Hazardous Substance, Liquid, N.O.S. (Reaction products of Epichlorohydrin and Bisphenol A), Marine Pollutant
 14.3 Transport hazard class(es) 	
. DOT	
· Class	9 Miscellaneous dangerous substances and articles.
· Label	9

Printing date 01.11.2012

Revision: 31.10.2012

Trade name: Poly-Krete PT Part A

	(Contd. of page
ADR	
Class	9 (M6) Miscellaneous dangerous substances and articles.
Label	9
IMDG, IATA	
Class Label	9 Miscellaneous dangerous substances and articles. 9
14.4 Packing group DOT, ADR, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	Yes
	Symbol (fish and tree)
Special marking (ADR): Special marking (IATA):	Symbol (fish and tree)
,	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances an articles.
Danger code (Kemler):	90
EMS Number:	F-A,S-F
14.7 Transport in bulk according to An	nex II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Transport category	3
Tunnel restriction code	E
UN "Model Regulation":	UN3082, Environmentally Hazardous Substance, Liquid, N.O.S., 9, III

(Contd. on page 11)

Printing date 01.11.2012

Trade name: Poly-Krete PT Part A

Revision: 31.10.2012

(Contd. of page 10)

Regulatory information	
 15.1 Safety, health and environmental regulations/legislation specific for the United States (USA) SARA 	e substance or mixtur
Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
 Proposition 65 (California): Chemicals known to cause cancer: Present in trace quantities. 	
106-89-8 1-chloro-2,3-epoxypropane	
• Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
• Chemicals known to cause reproductive toxicity for males:	
Present in trace quantities.	
106-89-8 1-chloro-2,3-epoxypropane	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic Categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
. IARC (International Agency for Research on Cancer)	
None of the ingredients is listed.	
• TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
 OSHA-Ca (Occupational Safety & Health Administration) 	
None of the ingredients is listed.	
· Canada	
Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients is listed.	
· Canadian Ingredient Disclosure list (limit 1%)	
None of the ingredients is listed.	

Printing date 01.11.2012

Revision: 31.10.2012

Trade name: Poly-Krete PT Part A

(Contd. of page 11) . **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

6 Oth	er information
	information is based on our present knowledge. However, this shall not constitute a guarantee for a ific product features and shall not establish a legally valid contractual relationship.
H315 H317 H341	vant phrases 5: Causes skin irritation. 7: May cause an allergic skin reaction. 1: Suspected of causing genetic defects. 1: Toxic to aquatic life with long lasting effects.
R43: R46:	Irritating to skin. May cause sensitisation by skin contact. May cause heritable genetic damage. Toxic to aquatic organisms.
ADR: Interna IMDG: DOT: U IATA: GHS: 0 ACGIH NFPA: HMIS: WHMI DNEL:	reviations and acronyms: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning t ational Carriage of Dangerous Goods by Road) : International Maritime Code for Dangerous Goods US Department of Transportation International Air Transport Association Globally Harmonized System of Classification and Labelling of Chemicals -: American Conference of Governmental Industrial Hygienists : National Fire Protection Association (USA) Hazardous Materials Identification System (USA) S: Workplace Hazardous Materials Information System (Canada) : Derived No-Effect Level (REACH) : Predicted No-Effect Concentration (REACH)